



*Jan*

DOCUMENT NO. 10327SSUS02C (NORT10-00359)  
Customer No. 33000

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: : Leslie Smith  
Serial No. : 10/692,252  
Filed : October 23, 2003  
For : HIGH-AVAILABILITY ARCHITECTURE USING HIGH-SPEED PIPES  
Group No. : 2114  
Examiner : Joshua A. Lohn

MAIL STOP AMENDMENT

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

Sir:

The undersigned hereby certifies that the following documents:

1. Amendment and Response to Office Action; and
2. A postcard receipt

relating to the above application, were deposited as "First Class Mail" with the United States Postal Service, addressed to Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on September 22, 2006.

Date: 9/22/06

Kathy Cedar  
Mailer

Date: 9/22/2006

Robert D. McCutcheon  
Robert D. McCutcheon  
Reg. No. 38,717

P.O. Drawer 800889  
Dallas, Texas 75380  
Phone: (972) 628-3600  
Fax: (972) 628-3616  
E-mail: [rmccutcheon@munckbutrus.com](mailto:rmccutcheon@munckbutrus.com)

DOCKET NO. 10327SSUS02C (NORT10-00359)

PATENT

Customer No. 33000

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: : Leslie Smith

Serial No. : 10/692,252

Filed : October 23, 2003

For : HIGH-AVAILABILITY ARCHITECTURE USING HIGH-SPEED PIPES

Group No. : 2114

Examiner : Joshua A. Lohn

**MAIL STOP AMENDMENT**

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

**AMENDMENT AND RESPONSE TO OFFICE ACTION**

No fees are believed to be necessary; however, in the event that any fees are required for the prosecution of this application, please charge any necessary fees to Deposit Account No. 50-0208.

No extension of time is believed to be necessary. If, however, an extension of time is needed, the extension is requested and please charge the fee for this extension to Deposit Account No. 50-0208.

In response to the Office Action having a mailing date of June 22, 2006, please amend the above-identified application as follows: